Journal of Non-Crystalline Solids 100 (1988) ix–xiii
North-Holland, Amsterdam

CONTENTS

Preface vii
Invited Lectures viii
Advisory / Organizing Committees viii
Contents ix

Section 1. Invited Papers

Synthesis and reactions of metal alkoxides
Mehrotra, R.C. 1

Precursors for sol–gel preparations
Guglielmi, M. and G. Carturan 16

Hydrolysis and condensation of silicates: effects on structure
Brinker, C.J. 31

Chemistry of material preparation by the sol–gel process
Schmidt, H. 51

Chemical modification of alkoxide precursors
Sanchez, C., J. Livage, M. Henry and F. Babonneau 65

Aging and drying of gels
Scherer, G.W. 77

The gel to glass transition: chemical and microstructural evolution
James, P.F. 93

Gel to glass conversion: densification kinetics and controlling mechanisms
Orgaz-Orgaz, F. 115

Rheology of sols and fiber drawing
Sakka, S. and H. Kozuka 142

Crystallization of gel-derived glasses
Uhlmann, D.R., M.C. Weinberg and G. Teowee 154

Applications of the sol–gel process
Mackenzie, J.D. 162

Aerogels – highly tenuous solids with fascinating properties
Fricke, J. 169

Prospects of sol–gel processes
Ulrich, D.R. 174

Section 2. Hydrolysis and Condensation Reactions

Hydrolysis and condensation reactions of $Si(OC_2H_5)_4$ related to silica fiber drawing
Kamiya, K., Y. Iwamoto, T. Yoko and S. Sakka 195

Influence of the type of alkyl group on hydrolysis and polycondensation of tetraalkoxysilane
Hasegawa, I. and S. Sakka 201

Section 3. Gel Formation

A SAXS study of kinetics of aggregation of silica sols
Lours, T., J. Zarzycki, A. Craievich, D.I. Dos Santos and M. Aegerter 207

Light scattering dynamic study of the gelation process
Ziemath, E.C., W.L. Pretti, M.A. Aegerter, J.E.C. Moreira, T. Lours and J. Zarzycki 211

The structural evolution of alkoxy-derived gel during drying
Yasumori, A., H. Kawazoe and M. Yamane 215

Shrinkage behavior of silica gels during drying
Kawaguchi, T., H. Hishikura and J. Iura 220

Flow characteristics and spinnability of sols prepared from silicon alkoxide solution
Kozuka, H., H. Kuroki and S. Sakka 226

Drying evolution of wet silica gels
Quinson, J.F., N. Tchipkam, J. Dumas, C. Bovier and J. Serughetti 231

Attempts to avoid cracks during drying
Mizuno, T., H. Nagata and S. Manabe 236

Section 4. Gel to Glass Conversion

Changes in the porous structure of silica gels during the gel-to-glass conversion
Iura, J., H. Hishikura, M. Kamikatano and T. Kawaguchi 241

Preparation of ultra-pure silica glass from autoclave-dried gels
Papanikolau, E., W.C.P.M. Meerman, R. Aerts, T.L. van Rooij, J.G. van Lierop and T.P.M. Meeuwsen 247

Sintering of silica gel derived from the alkoxysilane solution containing N,N-dimethylformamide
Adachi, T. and S. Sakka 250

Low temperature synthesis of monolithic silica glass from the system $Si(OC_2H_5)_4$–H_2O–HCl–$HOCH_2CH_2OH$ by the sol–gel method
Luo, S. and K. Tian 254

Densification kinetics of porous colloidal P_2O_5-doped silica gels using constant heating rate measurements
Orgaz-Orgaz, F. 263

Section 5. Preparation of Glasses, Glass-Ceramics and Composite Materials

Fabrication of fluorine-doped silica glasses by the sol–gel method
Shibata, S., T. Kitagawa and M. Horiguchi 269

Porous silicate beads by gelation
González-Oliver, C.J.R., M. Schneider, K. Nawata and H. Kusano 274

Gel synthesis of glass powders in the BaO–Al_2O_3–SiO_2 system
Tredway, W.K. and S.H. Risbud 278

Synthesis of CuO–Al_2O_3–SiO_2 glasses from the sol–gel method and properties
Tsuchiya, T., S. Yoshino, M. Fukuoka and J.D. Mackenzie 284

Structural transformation of the TiO_2–SiO_2 system gel during heat-treatment
Cheng, J. and D. Wang 288

SiO_2 gel-glasses prepared from alkoxide, colloidal and amine-silicate solutions, a comparison
Guglielmi, M., G. Scarinci, N. Maliavski, A. Bertoluzza, C. Fagnano and M.A. Morelli 292

Toughened glass–ceramics containing ZrO_2 and Al_2O_3 prepared by the sol–gel process from metal alkoxides
Nogami, M., K. Nagasaka, K. Kadono and T. Kishimoto 298

Preparation of alumina fibers by sol–gel method
Maki, T. and S. Sakka 303

TiO_2–SiO_2 monolithic glass formation from sol–gel
Yuan, L. and G. Yao 309

A low temperature synthesis of zirconium oxide coating using chelating agents
Yamada, K., T.Y. Chow, T. Horihata and M. Nagata 316

Preparation of CeO_2–TiO_2 coatings by the sol–gel process
Makishima, A., M. Asami and K. Wada 321

Al_2O_3–TiO_2 and Al_2TiO_5 ceramic materials by the sol–gel process
Woignier, T., P. Lespade, J. Phalippou and R. Rogier 325

ZrO_2–SiO_2 materials prepared by sol–gel
Miranda Salvado, I.M., C.J. Serna and J.M. Fernandez Navarro 330

Sol–gel processed $BaTiO_3$: structural evolution from the gel to the crystalline powder
Mosset, A., I. Gautier-Luneau, J. Galy, P. Strehlow and H. Schmidt 339

Reaction sintering of gel derived ceramic composites
Park, S.Y. and B.I. Lee 345

Section 6. Physical and Chemical Properties of Synthesized Materials

Amorphous phase separation and crystallization in a lithium silicate glass prepared by the sol–gel method
Chen, A. and P.F. James 353

Critical stress intensity factors of wet gels
Zarzycki, J. 359

Colloidal sol/gel processing of ultra-low expansion TiO_2/SiO_2 glasses
Deng, Z., E. Breval and C.G. Pantano 364

TEM study of boehmite gels and their transformation to α-alumina
Yang, X., A.C. Pierre and D.R. Uhlmann 371

A first look at the optical properties of ormosils
Lintner, B., N. Arfsten, H. Dislich, H. Schmidt, G. Philipp and B. Seiferling 378

Determination of diffusion coefficient of titanium ion in TiO_2–SiO_2 wet gel prepared from metal alkoxides during leaching
Shingyouchi, K., A. Makishima, M. Tutumi, S. Takenouchi and S. Konishi 383

ESR and Mössbauer studies of dispersed states of Fe^{3+} ions in silica gels
Tanabe, S., K. Hirao and N. Soga 388

Preparation and physical properties of amorphous V_2O_5 containing TiO_2, Na_2O or Li_2O
Hirashima, H., S. Kamimura, R. Muratake and T. Yoshida 394

Adsorption of alcohol vapors on alkoxide-derived silica gels
Nakanishi, K. and N. Soga 399

Mechanical strength of silica aerogels
Woignier, T. and J. Phalippou 404

Sodium borosilicate glasses prepared by the sol–gel process
Osaka, A., M. Yuasa, Y. Miura and K. Takahashi 409

Properties of ZrO_2–Al_2O_3 composite powders prepared from Zr–Al metallo-organic compounds
Yoshimatsu, H., T. Yabuki and H. Kawasaki 413

Characterization and chemical durability of $70Ph_2SiO \cdot 30TiO_2$ coating prepared by the sol–gel process
Hou, L. and H. Scholze 418

Structural study of fractal silica humid gels
Craievich, A., D.I. dos Santos, M. Aegerter, T. Lours and J. Zarzycki 424

Effect of dehydration on the viscosity of sol–gel processed silica
Gallo, T.A. and L.C. Klein 429

Synthesis of fluorine doped silica gel and its properties at high temperature
Tsukada, T., M. Shinmei and T. Yokokawa 435

Influence of sol–gel coatings on crack initiation by Vickers indentation in soda-lime glass
Sorarù, G.D., M. Guglielmi and R. Dal Maschio 440

Colour of silicate sol–gel glasses containing CuO
Ferreira Da Silva, M.G. and J.M. Fernandez Navarro 447

Hydrolytic resistance of Na_2O–B_2O_3–SiO_2 gels prepared by sol–gel process
Villegas, M.A. and J.M. Fernández Navarro 453

Influence of the dipping coating procedure on the mechanical strength of soda-lime glass rods
Maddalena, A., M. Guglielmi, A. Raccanelli and P. Colombo 461

A SAXS study of $V_2O_5 \cdot nH_2O$ sols and gels
Kamiyama, T., T. Itoh and K. Suzuki 466

Stress measurements in sol–gel films
Cerqua, K.A., J.E. Hayden and W.C. LaCourse 471

Section 7: Applications: Monoliths, Fibers, Coating Films, etc.

A large-size silica glass produced by a new sol–gel process
Toki, M., S. Miyashita, T. Takeuchi, S. Kanbe and A. Kochi 479

Surface modification of a TiO_2 film electrode prepared by the sol–gel method and its effect on photoelectrochemical behavior
Yoko, T., K. Kamiya, A. Yuasa, K. Tanaka and S. Sakka 483

Application of sol–gel derived silica films containing a methyl radical to a slab laser
Hara, K., T. Inazumi and T. Izumitani 490

Coloured coatings containing mixed transition metal oxides
Duran, A., J.M. Fernandez Navarro, P. Mazon and A. Joglar 494

Fine-patterning on glass substrates by the sol–gel method
Tohge, N., A. Matsuda, T. Minami, Y. Matsuno, S. Katayama and Y. Ikeda 501

Gradient-index glass rods of PbO–K_2O–B_2O_3–SiO_2 system prepared by the sol–gel process
Yamane, M., H. Kawazoe, A. Yasumori and T. Takahashi 506

r-GRIN glass rods propared by a sol–gel method
Konishi, S., K. Shingyouchi and A. Makishima 511

Influence of sol and substrate chemistry on the formation of sol–gel derived coatings
Butts, D.I., W.C. LaCourse and S. Kim 514

Application of the sol–gel process to lower the melting temperature of glaze
Makishima, A. and T. Nagata 519

Silica glass tubes by new sol–gel method
Mori, T., M. Toki, M. Ikejiri, M. Takei, M. Aoki, S. Uchiyama and S. Kanbe 523

Multilayer SiO_2 and TiO_2 coatings on glasses by the sol–gel process
Mohallem, N.D.S. and M.A. Aegerter 526

Thin SiO_2–TiO_2–ZrO_2 films from alkoxide solutions
Beier, W., A.A. Göktas and G.H. Frischat 531

Formation of $LiNbO_3$ films by hydrolysis of metal alkoxides
Hirano, S. and K. Kato 538

The preparation of boron-doped silicon carbide powder by the carbothermal reduction of oxides derived from the hydrolyzed methyltriethoxysilane
Sugahara, Y., Y. Takeda, K. Kuroda and C. Kato 542

Author index 547

Subject index 551